

01 ELECTRIC PALLET TRUCK

MINI F1

- Capacity 1.5t
- Fork Width 560/685mm
- Fork Length 1150mm
- 24V/65Ah AGM battery
- Travel Speed 4.5km/h
- DC Controller
- Integrated battery charger

NEW



MINI F2

- Capacity 1.5t
- Fork Width 560/685mm
- Fork Length 1150mm
- 24V/20Ah removable Li-ion battery
- Travel Speed 4.5km/h
- DC Controller

NEW



MINI F3

- Capacity 1.5t
- Fork Width 560/685mm
- Fork Length 1150mm
- 24V/20Ah removable Li-ion battery
- Travel Speed 4.5km/h
- DC Controller

NEW



MINI F4

- Capacity 1.5t
- Fork Width 560/685mm
- Fork Length 1150mm
- 24V/20Ah removable Li-ion battery
- Travel Speed 4.5km/h
- DC Controller

NEW



MINI EPL153(1)

- Capacity 1.5t
- Fork Width 560/685mm
- Fork Length 1150mm
- 24V/20Ah removable Li-ion battery
- Travel Speed 5.0km/h
- DC Controller



MINI EPL154

- Capacity 1.5t
- Fork Width 540/685mm
- Fork Length 1150mm
- 24V/30Ah removable Li-ion battery
- Travel Speed 5.0km/h
- DC Controller



MINI

EPL185

- Capacity 1.8t
- Fork Width 540/685mm
- Fork Length 1150mm
- 48V/20Ah removable Li-ion battery
- Travel Speed 5.5km/h
- DC Controller



MAX

WPL202

- Capacity 2.0t
- Fork Width 540/685mm
- Fork Length 1150mm
- 24V/100Ah Li-ion battery
- Travel Speed 5.5/6 km/h
- AC Controller
- Integrated battery charger

NEW



MAX

EPT20-20WA EPT25-WA

- Capacity 2.0/2.5t
- Fork Width 540/685mm
- Fork Length 1150mm
- 24V/240Ah Lead acid battery
- 24V/205Ah Li-ion battery
- Travel Speed 5/5.5km/h
- AC Controller



MAX

KPL201

- Capacity 2.0t
- Fork Width 540/685mm
- Fork Length 1150mm
- 24V/205Ah Li-ion battery
- Travel Speed 8.5/10km/h
- AC Controller



MAX

RPL201(H)

- Capacity 2.0t
- Fork Width 540/685mm
- Fork Length 1150mm
- 24V/205Ah Li-ion battery
- Travel Speed 8.0/12 km/h
- AC Controller



MAX

RPL251/301

- Capacity 2.5/3.0t
- Fork Width 560/685mm
- Fork Length 1150/1220mm
- 24V/205Ah Li-ion battery
- Travel Speed 5.5/6.0km/h
- AC Controller



02 ELECTRIC STACKER

MINI ES12-12MM

- Capacity 1.2t
- Lifting Height 1605–1955mm
- 24V/85Ah AGM / 80Ah Li-ion
- DC Controller
- Integrated battery charger



MINI ES12-12MMI

- Capacity 1.2t
- Lifting Height 1605–1955mm
- 24V/85Ah AGM / 80Ah Li-ion
- DC Controller
- Integrated battery charger



MINI EST124

- Capacity 1.2t
- Lifting Height 2513–3613mm
- 24V/80Ah AGM / 80Ah Li-ion
- DC Controller
- Integrated battery charger

NEW



MINI EST122/ESL122

- Capacity 1.2t
- Lifting Height 2516–3316mm
- 24V/85Ah AGM / 80Ah Li-ion
- DC Controller
- Integrated battery charger



MINI ES12-12ES

- Capacity 1.2t
- Lifting Height 3015–3615mm
- 24V/105Ah AGM / 80Ah Li-ion
- DC Controller
- Integrated battery charger



MINI ES15-15ES

- Capacity 1.5t
- Lifting Height 2515–4150mm
- 24V/125Ah AGM
- DC Controller
- Integrated battery charger



MAX Initial lifting
ES12-12WAI

- Capacity 1.2t
- Lifting Height 3010-3610mm
- 24V/210Ah Lead acid battery
- AC Controller



MAX
WSA161

- Capacity 1.6t
- Lifting Height 3000-5500mm
- 24V/100Ah Li-ion battery
- AC Controller
- Integrated battery charger

NEW



MAX
ES20-WA

- Capacity 2.0t
- Lifting Height 3000-4800mm
- 24V/280Ah Lead acid battery
- 24V/205Ah Li-ion battery
- AC Controller



MINI
ES12-25MM
ES12-25DM

- Capacity 1.2t
- Lifting Height 1510/2980-1920/3580mm
- 24V/85Ah/105Ah/125Ah AGM battery
- 24V/80Ah Li-ion battery
- DC Controller



MAX
ES12-25WA

- Capacity 1.2t
- Lifting Height 3280-5000mm
- 24V/210Ah Lead acid battery
- 24V/205Ah Li-ion battery
- AC Controller



MAX
ES14-30WA
ES18-40WA

- Capacity 1.4/1.8t
- Lifting Height 3200-5000mm
- 24V/210Ah/280Ah Lead acid battery
- 24V/205Ah Li-ion battery
- AC Controller



MAX Initial lifting
ESi161

- Capacity 1.6t
- Up fork capacity 0.8T
- Lifting Height 1608mm
- 24V/80Ah Li-ion battery
- DC Controller
- Integrated battery charger

NEW



MAX Initial lifting
KS201

- Capacity 2.0t
- Up fork capacity 1.0t
- Lifting Height 1600mm
- 24V/205Ah Li-ion battery
- AC Controller
- Integrated battery charger

NEW



MAX
ES16-RS

- Capacity 1.6t
- Lifting Height 3000–5800mm
- 24V/210Ah Lead acid battery
- 24V/205Ah Li-ion battery
- AC Controller



MAX Initial lifting
ES16-RSI

- Capacity 1.6t
- Lifting Height 3000–5000mm
- 24V/280Ah Lead acid battery
- AC Controller



03 ORDER PICKER & TOW TRACTOR

MAX
JX0

- Capacity 90/110/136KG
- Lifting Height 3000mm
- 24V/120Ah Lead acid battery
- 24V/135Ah Li-ion battery
- DC Controller



MAX
JX1

- Capacity 227/137/136KG
- Lifting Height 3200–4800mm
- 24V/224Ah/280Ah Lead acid battery
- 24V/205Ah Li-ion battery
- Travel Speed 5.5km/h
- AC Controller



MINI
QDD10

- Capacity 1.0t
- Travel Speed 5.0km/h
- 24V/50Ah Lead acid battery
- DC Controller



MINI
QDD10L

- Capacity 1.0t
- Travel Speed 5.0km/h
- 24V/20Ah Li-ion battery
- DC Controller





SAZVEŽĐE NS

FORKLIFT CATALOGUE

info@sazvezdijens.rs

Đorđa Isakova 75
21241 Kać, Srbija
(+381) 66 809-4824

MINI QDD10/15T

- Capacity 1.0/1.5t
- Travel Speed 5.0km/h
- 24V/20Ah Li-ion battery
- DC Controller



MAX EPT20-RAP

- Capacity 2.0t
- Fork Width 540/600/685mm
- Fork Length 1150/2400mm
- 24V/360Ah Lead acid battery
- 24V/205Ah Li-ion battery
- Travel Speed 12km/h
- AC Controller



MAX QDD301T/601T

- Capacity 3.0/6.0t
- Travel Speed 15.0/17.0km/h
- 48V/240Ah/275Ah Lead acid battery
- 48V/280Ah Li-ion battery
- AC Controller

NEW



04 REACH TRUCK

MAX CQE15S

- Capacity 1.5t
- Lifting Height 3000-5500mm
- 24V/280Ah Lead acid battery
- 24V/205Ah Li-ion battery
- AC Controller



MAX CQD20L

- Capacity 2.0t
- Lifting Height 7500-12000mm
- 48V/405Ah Li-ion battery
- AC Controller



05 THREE-WHEEL ELECTRIC FORKLIFT

▼ EFS Series

EFS151

- Capacity 1.5t
- Lifting Height 3000–4500mm
- 48V/150Ah Li-ion
- 48V/180Ah AGM
- AC Controller
- Integrated charger

NEW



▼ Dual Drive

CPD15/18/20TVL

- Capacity 1.5/1.8/2.0t
- Lifting Height 3000–5500/6000mm
- 80V/150Ah/205Ah Li-ion battery
- AC Controller
- Integrated Charger

NEW



TDL201

- Capacity 2.0t
- Lifting Height 3000–6000mm
- 48V/405Ah Li-ion battery
- AC Controller
- Integrated charger

NEW



06 FOUR-WHEEL ELECTRIC FORKLIFT

▼ EFL Series

EFL181

- Capacity 1.8t
- Lifting Height 3000–4800mm
- 48V/150Ah Li-ion battery
- AC Controller
- Integrated charger



EFL201

- Capacity 2.0t
- Lifting Height 3000–4800mm
- 80V/150Ah Li-ion battery
- AC Controller
- Optional integrated charger

NEW



EFL252

- Capacity 2.5t
- Lifting Height 3000–6000mm
- 80V/205Ah/280Ah/410Ah Li-ion battery
- AC Controller
- Optional integrated charger



EFL302/EFL352

- Capacity 3.0/3.5t
- Lifting Height 3000–6000mm
- 80V/205Ah/280Ah/410Ah Li-ion battery
- AC Controller
- Optional integrated charger



EFL253/303/353(S/P)

- Capacity 2.5/3.0/3.5t
- Lifting Height 3000–6000mm
- 80V/205Ah/230Ah/280Ah/410Ah/460Ah/560Ah Li-ion battery
- AC Controller

NEW



EFL702/EFL1002

- Capacity 7.0/10.0t
- Lifting Height 3000–6000/6030mm
- 80V/820Ah/1230Ah Li-ion battery
- AC Controller

NEW



EFL1602/1802

- Capacity 16.0/18.0t
- Lifting Height 3000–4200mm
- 614.4V/230Ah Li-ion battery
- AC Controller

NEW



▼ L1 Series

CPD15/20L1

- Capacity 1.5/2.0t
- Lifting Height 3000–5000mm
- 48V/405Ah Li-ion battery
- AC Controller



CPD30/35L1S

- Capacity 3.0/3.5t
- Lifting Height 3000–6000mm
- 80V/560Ah Li-ion battery
- AC Controller



▼ Dual Drive

CPD18/20FVL

- Capacity 1.8/2.0t
- Lifting Height 3000–6000mm
- 80V/205Ah Li-ion battery
- AC Controller
- Integrated Charger

NEW



▼ F8 Series

CPD45/50F8

- Capacity 4.5/4.99t
- Lifting Height 3000–6000mm
- 80V/700Ah Lead acid battery
- 80V/560Ah Li-ion battery
- AC Controller

